# SAFETY DATA SHEET

Pine Multi-Purpose Cleanser



### **Section 1. Identification GHS** product identifier : Pine Multi-Purpose Cleanser : 2105 RJ **Product code** Other means of : PP405012-41 identification **Product type** : Liquid. Relevant identified uses of the substance or mixture and uses advised against Not applicable. **Supplier's details** : R.J. Schinner Co., N89W14700 Patrita Drive Menomonee Falls, WI 53051 262-797-7180 **Emergency telephone** : Chemtrec (800) 424-9300 24 hour number (with hours of operation) Section 2. Hazards identification **OSHA/HCS** status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). **Classification of the** : SKIN SENSITIZATION - Category 1 substance or mixture **GHS** label elements **Hazard pictograms** Signal word Warning 2 **Hazard statements** 5 May cause an allergic skin reaction. **Precautionary statements**

**Prevention** : Wear protective gloves: < 1 hour (breakthrough time): disposable vinyl. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace. : IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before Response reuse. If skin irritation or rash occurs: Get medical attention. : Not applicable. Storage : Dispose of contents and container in accordance with all local, regional, national and **Disposal** international regulations. : None known.

Hazards not otherwise classified

Date of issue/Date of revision : 10/19/2018 Date of previous issue :10/19/2018

### Section 3. Composition/information on ingredients

### Substance/mixture Other means of

- identification
- : Mixture
- : PP405012-41

Ingredient name	%	CAS number
Alcohols, C9-11, ethoxylated	≤3	68439-46-3
Pine oil, synthetic Chinese	≤0.3	8002-09-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid moasuros

	st alu measures
Description of necess	sary first aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symp	toms/effects, acute and delayed
Potential acute healt	th effects

Eye contact Inhalation	<ul> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	<u>toms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

### Section 4. First aid measures

Indication of immediate mee	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures								
For non-emergency personnel	-	Evacuate entering. Provide a	surrounding an Do not touch c dequate ventila	eas. Keep un r walk through ition. Wear ap	necessary and spilled materia	r without suitable f l unprotected pers al. Avoid breathin irator when ventila equipment.	onnel from g vapor or m	ist.
For emergency responders	:	Section 8				age, take note of a also the informatic		
Environmental precautions	:	and sewe		relevant autho	rities if the pro	tact with soil, wate duct has caused e		
Methods and materials for co	onta	ainment a	nd cleaning u	p				
Small spill	:	if water-so	oluble. Alterna n appropriate v	tively, or if wat	er-insoluble, al	rea. Dilute with w osorb with an inert spose of via a licer	dry material	
Large spill	:	upwind. F spillages spillage w diatomace (see Sect absorben	Prevent entry ir nto an effluent ith non-combu cous earth and ion 13). Dispo material may	to sewers, wa treatment plan stible, absorbe place in conta se of via a lice pose the same	ter courses, ba nt or proceed a ent material e.g ainer for dispos nsed waste dis e hazard as the	rea. Approach re asements or confir as follows. Contain a sand, earth, verr al according to loc sposal contractor. a spilled product. I stion 13 for waste of	ned areas. W n and collect niculite or cal regulation Contaminate Note: see	s
Date of issue/Date of revision	: 10	/19/2018	Date of prev	ous issue	: 10/19/2018	Version	:2	3/11

## Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name	Exposure limits
Alcohols, C9-11, ethoxylated	None.
Pine oil, synthetic Chinese	None.

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
ures de la constante de la const		
: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields		
: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this i necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for differen glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. < 1 hour (breakthrough time): disposable vinyl		

### Section 8. Exposure controls/personal protection

-	
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Clear. GreenYellow.
Odor	: Pine.
Odor threshold	: Not available.
рН	: 8.5 to 9.5
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive	: Not available.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Alcohols, C9-11, ethoxylated	LD50 Oral	Rat	1378 mg/kg	-
Pine oil, synthetic Chinese	LD50 Dermal	Rabbit	5 g/kg	-
	LD50 Oral	Rat	2.1 g/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Pine oil, synthetic Chinese	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-

### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Name	Result
Pine oil, synthetic Chinese	ASPIRATION HAZARD - Category 1

Information on the likely : Routes of entry anticipated: Oral, Dermal. routes of exposure

### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure

Date of issue/Date of revision	: 10/19/2018	Date of previous issue	:10/19/2018	Version

### Section 11. Toxicological information

Detential deleved offects	
Potential delayed effects : N	lot available.
Long term exposure	
Potential immediate : N effects	ot available.
Potential delayed effects : N	ot available.
Potential chronic health effects	
Not available.	
	nce sensitized, a severe allergic reaction may occur when subsequently exposed to ery low levels.
Carcinogenicity : N	o known significant effects or critical hazards.
Mutagenicity : N	o known significant effects or critical hazards.
Teratogenicity : N	o known significant effects or critical hazards.
Developmental effects : N	o known significant effects or critical hazards.
Fertility effects : N	o known significant effects or critical hazards.

Numerical measures of toxic Acute toxicity estimates

Not available.

### Section 12. Ecological information

#### **Toxicity Product/ingredient name** Result **Species Exposure** Alcohols, C9-11, ethoxylated Acute EC50 5.36 mg/l Fresh water 48 hours Crustaceans - Ceriodaphnia dubia - Neonate Acute EC50 2686 µg/l Fresh water 48 hours Daphnia - Daphnia magna -Neonate Acute LC50 8500 µg/l Fresh water Fish - Pimephales promelas 96 hours Pine oil, synthetic Chinese Acute EC50 24.5 ppm Fresh water Daphnia - Daphnia magna 48 hours Acute LC50 18.35 ppm Fresh water 96 hours Fish - Oncorhynchus mykiss -Juvenile (Fledgling, Hatchling, Weanling)

### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

### Mobility in soil

Soil/water partition : coefficient (Koc)

: Not available.

#### Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according	1	Not available.
to Annex II of MARPOL and		
the IBC Code		

### Section 15. Regulatory information

U.S. Federal regulations	• •	proposed test rules: Qu yldimethyl, chlorides	uaternary ammonium	compounds, benzyl-	
	TSCA 8(a)	CDR Exempt/Partial ex	emption: Not determ	nined	
	Clean Wat	er Act (CWA) 311: sodiu	m hydroxide; Formal	dehyde, solution	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed				
Clean Air Act Section 602 Class I Substances	: Not listed				
Clean Air Act Section 602 Class II Substances	: Not listed				
DEA List I Chemicals (Precursor Chemicals)	: Not listed				
DEA List II Chemicals (Essential Chemicals)	: Not listed				
Date of issue/Date of revision	: 10/19/2018	Date of previous issue	: 10/19/2018	Version : 2	8/11

### Section 15. Regulatory information

### SARA 302/304

#### **Composition/information on ingredients**

				SARA 3	02 TPQ	SARA 3	04 RQ
Name		%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
formaldehyde		<0.1	Yes.	500	73.9	100	14.8
SARA 304 RQ	: 2666666.	7 lbs / 1210	666.7 kg [3198		/ 1210666.7 L]		

### SARA 311/312

**Classification** 

#### : SKIN SENSITIZATION - Category 1

#### **Composition/information on ingredients**

Name	%	Classification
Alcohols, C9-11, ethoxylated Pine oil, synthetic Chinese	≤3 ≤0.3	EYE IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 ASPIRATION HAZARD - Category 1

#### **State regulations**

Massachusetts	÷,	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	None of the components are listed.
Pennsylvania	÷	None of the components are listed.
<u>California Prop. 65</u>		

MARNING: This product can expose you to Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Formaldehyde	Yes.	-

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)** 

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

Inv	ent	ory	list


Australia :	Not determined.
Canada :	Not determined.
China :	All components are listed or exempted.
Europe :	Not determined.
Japan :	Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.

### Section 15. Regulatory information

Malaysia	: Not determined.	
New Zealand	: All components are listed or exemp	oted.
Philippines	: Not determined.	
Republic of Ko	a : Not determined.	
Taiwan	: Not determined.	
Thailand	: Not determined.	
Turkey	: Not determined.	
<b>United States</b>	: Not determined.	
Viet Nam	: Not determined.	

### Section 16. Other information

### Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

	Classification	Justification	
SKIN SENSITIZATION - Category 1		Calculation method	
History			
Date of printing	: 10/22/2018		
Date of issue/Date of revision	: 10/19/2018		
Date of previous issue	: 10/19/2018		
Version	: 2		

### Section 16. Other information

Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = Iogarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973</li> </ul>
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.